

Table 11. Number and percent distribution of office visits with corresponding standard errors, by physician's primary diagnosis: United States, 2000

Major disease category and ICD-9-CM code range ¹	Number of visits in thousands	Standard error in thousands	Percent distribution	Standard error of percent
All visits	823,542	34,820	100.0	...
Infectious and parasitic diseases	001–139	25,298	3.1	0.2
Neoplasms	140–239	31,189	4.454	0.5
Endocrine, nutritional and metabolic diseases, and immunity disorders	240–279	42,183	5.1	0.5
Mental disorders	290–319	43,893	5.3	0.5
Diseases of the nervous system and sense organs	320–389	69,297	8.4	0.5
Diseases of the circulatory system	390–459	65,843	8.0	0.6
Diseases of the respiratory system	460–519	90,803	11.0	0.6
Diseases of the digestive system	520–579	29,401	3.6	0.4
Diseases of the genitourinary system	580–629	42,674	5.2	0.4
Diseases of the skin and subcutaneous tissue	680–709	43,650	5.3	0.3
Diseases of the musculoskeletal system and connective tissue	710–739	59,270	7.2	0.6
Symptoms, signs, and ill-defined conditions	780–799	50,940	6.2	0.3
Injury and poisoning	800–999	45,295	5.5	0.4
Supplementary classification	V01–V82	149,189	8.549	0.8
All other diagnoses ²		21,424	2.166	0.3
Unknown ³		13,193	3,689	0.4

... Category not applicable.

¹Based on the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM) (9).²Includes diseases of the blood and blood-forming organs (280–289); complications of pregnancy, childbirth, and the puerperium (630–677); congenital anomalies (740–759); and certain conditions originating in the perinatal period (760–779).³Includes blank diagnoses, uncodable diagnoses, and illegible diagnoses.

NOTE: Numbers may not add to totals because of rounding.

Table 12. Number and percent distribution of office visits with corresponding standard errors, by selected primary diagnosis groups and patient's sex: United States, 2000

Primary diagnosis group and ICD-9-CM code(s) ¹	Number of visits in thousands	Standard error in thousands	Percent distribution	Standard error of percent	Patient's sex			
					Female ²		Male ³	
					Percent distribution	Standard error of percent	Percent distribution	Standard error of percent
All visits	823,542	34,820	100.0	...	100.0	...	100.0	...
Essential hypertension	401	35,096	3.941	0.4	4.2	0.4	4.4	0.5
Routine infant or child health check	V20.2	33,896	3,209	4.1	0.4	3.5	0.3	5.0
Acute upper respiratory infections, excluding pharyngitis	460–461, 463–466	30,675	2,840	3.7	0.3	3.6	0.3	3.9
Diabetes mellitus	250	23,627	2,639	2.9	0.3	2.4	0.3	3.5
Arthropathies and related disorders	710–719	23,222	3,258	2.8	0.4	3.1	0.4	2.4
Normal pregnancy	V22	22,382	2,138	2.7	0.2	4.6	0.4	*
Malignant neoplasms	140–208, 230–234	21,769	4,369	2.6	0.5	2.6	0.7	2.8
General medical examination	V70	18,334	2,448	2.2	0.3	2.4	0.3	2.0
Rheumatism, excluding back	725–729	16,535	1,450	2.0	0.2	2.0	0.2	2.0
Otitis media and eustachian tube disorders	381–382	16,267	1,576	2.0	0.2	1.7	0.2	2.4
Spinal disorders	720–724	15,561	2,380	1.9	0.3	1.8	0.2	2.0
Followup examination	V67	13,167	2,411	1.6	0.3	1.7	0.4	1.4
Chronic sinusitis	473	11,637	1,279	1.4	0.1	1.6	0.2	1.1
Ischemic heart disease	410–414	11,385	1,332	1.4	0.2	1.0	0.1	2.0
Heart disease, excluding ischemic	391–392, 0, 393–398, 402, 404, 415–416, 420–429	11,008	1,111	1.3	0.1	1.1	0.1	1.7
Benign and uncertain neoplasms	216–229, 235–239	9,420	941	1.1	0.1	1.2	0.1	1.0
Gynecological examination	V72.3	9,399	1,493	1.1	0.2	1.9	0.3	*
Asthma	493	9,332	1,289	1.1	0.1	1.0	0.2	1.3
Acute pharyngitis	462	9,229	1,271	1.1	0.1	1.1	0.1	1.2
Allergic rhinitis	477	9,059	1,659	1.1	0.2	1.1	0.2	1.1
All other diagnoses	472,541	20,965	57.4	0.9	56.5	1.0	58.6	1.1

... Category not applicable.

¹Figure does not meet standard of reliability or precision.²Based on the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM) (9). However, certain codes have been combined in this table to form larger categories that better describe the utilization of ambulatory care services.³Based on 488,199,000 visits made by females.³Based on 335,343,000 visits made by males.

NOTE: Numbers may not add to totals because of rounding.